Plate Boundary Observatory Borehole Strainmeters:

A New Way to Record "Slow Earthquakes" in Cascadia

Evelyn Roeloffs, U.S. Geological Survey, Vancouver, WA

NEPEC Workshop, 18 May 2007







Plate Boundary Observatory (PBO)

- A component of the Earthscope initiative
- Funded by NSF
- Instrument types:
 - Continuous GPS
 - Borehole strainmeters
 - Laser strainmeters (not in Cascadia)








Cascadia: A Major PBO Target

- 45 planned BSM's
- 16 now operating
- 5 drilled
- 2-4 additional stations may be added





Gladwin Tensor Strainmeter

- Measures elongation along 4 horizontal azimuths
- Resolution 1 nanostrain (1 part per billion)
- Sampling rate 20 samples/s





Plate Boundary Observatory
Supporting EarthScope Geodetic, Seismic,
and Tectonic Research



Features of PBO Strain Data

- Publically available through UNAVCO, IRIS, and NCEDC
- Most online data updated daily
- 1 sample-per-second data updated several times per day
- Real-time capability:
 - Not a mandate of PBO
 - Could be an option if separately funded







PBO Borehole Installation

- Strainmeters must be permanently grouted into borehole
- Seismometers (3-comp, 1-Hz)are also cemented in
- Boreholes 500-800 ft deep










Plate Boundary Observatory
Supporting EarthScope Geodetic, Seismic,
and Tectonic Research












Goal: "Modelable" Strains • Local strains Crust within a few hundred m of strainmeter differ from instrument strains in: Rock within a few m. of strainmeter ϵ^{L} - Overall Fractures amplitude Strainmeter - Ratio of shear 13 strain to areal strain Inhomogeneities Science for a changing world Plate Boundary Observatory



How Borehole Strainmeters Complement GPS

- Borehole strainmeters have much better time resolution than GPS
- Net strain is harder to infer from strainmeter data, due to increasing noise level with lengthening time period
- Absolute calibrations of strainmeters have some uncertainty





